

Internet Engineering Task Force (IETF)
Request for Comments: 8398
Updates: [5280](#)
Category: Standards Track
ISSN: 2070-1721

A. Melnikov, Ed.
Isode Ltd
W. Chuang, Ed.
Google, Inc.
May 2018

Internationalized Email Addresses in X.509 Certificates

Abstract

This document defines a new name form for inclusion in the otherName field of an X.509 Subject Alternative Name and Issuer Alternative Name extension that allows a certificate subject to be associated with an internationalized email address.

This document updates [RFC 5280](#).

Status of This Memo

This is an Internet Standards Track document.

This document is a product of the Internet Engineering Task Force (IETF). It represents the consensus of the IETF community. It has received public review and has been approved for publication by the Internet Engineering Steering Group (IESG). Further information on Internet Standards is available in [Section 2 of RFC 7841](#).

Information about the current status of this document, any errata, and how to provide feedback on it may be obtained at <https://www.rfc-editor.org/info/rfc8398>.

Copyright Notice

Copyright (c) 2018 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1. Introduction	2
2. Conventions Used in This Document	2
3. Name Definitions	3
4. IDNA2008	4
5. Matching of Internationalized Email Addresses in X.509 Certificates	4
6. Name Constraints in Path Validation	6
7. Security Considerations	7
8. IANA Considerations	8
9. References	8
9.1. Normative References	8
9.2. Informative References	9
Appendix A. ASN.1 Module	10
Appendix B. Example of Smtputf8Mailbox	11
Acknowledgements	11
Authors' Addresses	12

1. Introduction

[RFC5280] defines the `rfc822Name` `subjectAltName` name type for representing email addresses as described in [RFC5321]. The syntax of `rfc822Name` is restricted to a subset of US-ASCII characters and thus can't be used to represent internationalized email addresses [RFC6531]. This document defines a new `otherName` variant to represent internationalized email addresses. In addition this document requires all email address domains in X.509 certificates to conform to IDNA2008 [RFC5890].

2. Conventions Used in This Document

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in BCP 14 [RFC2119] [RFC8174] when, and only when, they appear in all capitals, as shown here.

The formal syntax uses the Augmented Backus-Naur Form (ABNF) [RFC5234] notation.

3. Name Definitions

The GeneralName structure is defined in [RFC5280] and supports many different name forms including otherName for extensibility. This section specifies the Smtputf8Mailbox name form of otherName so that internationalized email addresses can appear in the subjectAltName of a certificate, the issuerAltName of a certificate, or anywhere else that GeneralName is used.

```
id-on-Smtputf8Mailbox OBJECT IDENTIFIER ::= { id-on 9 }
```

```
Smtputf8Mailbox ::= UTF8String (SIZE (1..MAX))  
-- Smtputf8Mailbox conforms to Mailbox as specified  
-- in Section 3.3 of RFC 6531.
```

When the subjectAltName (or issuerAltName) extension contains an internationalized email address with a non-ASCII local-part, the address MUST be stored in the Smtputf8Mailbox name form of otherName. The format of Smtputf8Mailbox is defined as the ABNF rule Smtputf8Mailbox. Smtputf8Mailbox is a modified version of the internationalized Mailbox that was defined in Section 3.3 of [RFC6531], which was derived from Mailbox as defined in Section 4.1.2 of [RFC5321]. [RFC6531] defines the following ABNF rules for Mailbox whose parts are modified for internationalization: <Local-part>, <Dot-string>, <Quoted-string>, <QcontentSMTP>, <Domain>, and <Atom>. In particular, <Local-part> was updated to also support UTF8-non-ascii. UTF8-non-ascii was described by Section 3.1 of [RFC6532]. Also, domain was extended to support U-labels, as defined in [RFC5890].

This document further refines internationalized Mailbox ABNF rules as described in [RFC6531] and calls this Smtputf8Mailbox. In Smtputf8Mailbox, labels that include non-ASCII characters MUST be stored in U-label (rather than A-label) form [RFC5890]. This restriction removes the need to determine which label encoding, A- or U-label, is present in the domain. As per Section 2.3.2.1 of [RFC5890], U-labels are encoded as UTF-8 [RFC3629] in Normalization Form C and other properties specified there. In Smtputf8Mailbox, domain labels that solely use ASCII characters (meaning neither A- nor U-labels) SHALL use NR-LDH restrictions as specified by Section 2.3.1 of [RFC5890] and SHALL be restricted to lowercase letters. NR-LDH stands for "Non-Reserved Letters Digits Hyphen" and is the set of LDH labels that do not have "--" characters in the third and fourth character position, which excludes "tagged domain names" such as A-labels. Consistent with the treatment of rfc822Name in [RFC5280], Smtputf8Mailbox is an envelope <Mailbox> and has no

phrase (such as a common name) before it, has no comment (text surrounded in parentheses) after it, and is not surrounded by "<" and ">" characters.

Due to name constraint compatibility reasons described in [Section 6](#), Smtputf8Mailbox subjectAltName MUST NOT be used unless the local-part of the email address contains non-ASCII characters. When the local-part is ASCII, rfc822Name subjectAltName MUST be used instead of Smtputf8Mailbox. This is compatible with legacy software that supports only rfc822Name (and not Smtputf8Mailbox). The appropriate usage of rfc822Name and Smtputf8Mailbox is summarized in Table 1 below.

Smtputf8Mailbox is encoded as UTF8String. The UTF8String encoding MUST NOT contain a Byte-Order-Mark (BOM) [[RFC3629](#)] to aid consistency across implementations, particularly for comparison.

local-part char	domain char	domain label	subjectAltName
ASCII-only	ASCII-only	NR-LDH label	rfc822Name
non-ASCII	ASCII-only	NR-LDH label	Smtputf8Mailbox
ASCII-only	non-ASCII	A-label	rfc822Name
non-ASCII	non-ASCII	U-label	Smtputf8Mailbox

Non-ASCII may additionally include ASCII characters.

Table 1: Email Address Formatting

4. IDNA2008

To facilitate comparison between email addresses, all email address domains in X.509 certificates MUST conform to IDNA2008 [[RFC5890](#)] (and avoid any "mappings" mentioned in that document). Use of non-conforming email address domains introduces the possibility of conversion errors between alternate forms. This applies to Smtputf8Mailbox and rfc822Name in subjectAltName, issuerAltName, and anywhere else that these are used.

5. Matching of Internationalized Email Addresses in X.509 Certificates

In equivalence comparison with Smtputf8Mailbox, there may be some setup work on one or both inputs depending on whether the input is already in comparison form. Comparing Smtputf8Mailboxes consists of a domain part step and a local-part step. The comparison form for local-parts is always UTF-8. The comparison form for domain parts depends on context. While some contexts such as certificate path

validation in [RFC5280] specify transforming domain to A-label (Sections 7.2 and 7.5 in [RFC5280] as updated by [RFC8399]), this document recommends transforming to UTF-8 U-label instead. This reduces the likelihood of errors by reducing conversions as more implementations natively support U-label domains.

Comparison of two Smtputf8Mailboxes is straightforward with no setup work needed. They are considered equivalent if there is an exact octet-for-octet match. Comparison with email addresses such as internationalized email address or rfc822Name requires additional setup steps for domain part and local-part. The initial preparation for the email addresses is to remove any phrases, comments, and "<" or ">" characters. This document calls for comparison of domain labels that include non-ASCII characters to be transformed to U-labels if not already in that form. The first step is to detect use of the A-label by using Section 5.1 of [RFC5891]. Next, if necessary, transform any A-labels (US-ASCII) to U-labels (Unicode) as specified in Section 5.2 of [RFC5891]. Finally, if necessary, convert the Unicode to UTF-8 as specified in Section 3 of [RFC3629]. For ASCII NR-LDH labels, uppercase letters are converted to lowercase letters. In setup for Smtputf8Mailbox, the email address local-part MUST conform to the requirements of [RFC6530] and [RFC6531], including being a string in UTF-8 form. In particular, the local-part MUST NOT be transformed in any way, such as by doing case folding or normalization of any kind. The <Local-part> part of an internationalized email address is already in UTF-8. For rfc822Name, the local-part, which is IA5String (ASCII), trivially maps to UTF-8 without change. Once setup is complete, they are again compared octet for octet.

To summarize non-normatively, the comparison steps, including setup, are:

1. If the domain contains A-labels, transform them to U-labels.
2. If the domain contains ASCII NR-LDH labels, lowercase them.
3. Compare strings octet for octet for equivalence.

This specification expressly does not define any wildcard characters, and Smtputf8Mailbox comparison implementations MUST NOT interpret any characters as wildcards. Instead, to specify multiple email addresses through Smtputf8Mailbox, the certificate MUST use multiple subjectAltNames or issuerAltNames to explicitly carry any additional email addresses.

6. Name Constraints in Path Validation

This section updates [Section 4.2.1.10 of \[RFC5280\]](#) to extend `rfc822Name` name constraints to `Smtputf8Mailbox` `subjectAltNames`. `Smtputf8Mailbox`-aware path validators will apply name constraint comparison to the subject distinguished name and both forms of subject alternative names `rfc822Name` and `Smtputf8Mailbox`.

Both `rfc822Name` and `Smtputf8Mailbox` subject alternative names represent the same underlying email address namespace. Since legacy CAs constrained to issue certificates for a specific set of domains would lack corresponding UTF-8 constraints, [\[RFC8399\]](#) updates, modifies, and extends `rfc822Name` name constraints defined in [\[RFC5280\]](#) to cover `Smtputf8Mailbox` subject alternative names. This ensures that the introduction of `Smtputf8Mailbox` does not violate existing name constraints. Since it is not valid to include non-ASCII UTF-8 characters in the local-part of `rfc822Name` name constraints, and since name constraints that include a local-part are rarely, if at all, used in practice, name constraints updated in [\[RFC8399\]](#) allow the forms that represent all addresses at a host or all mailboxes in a domain and deprecates `rfc822Name` name constraints that represent a particular mailbox. That is, `rfc822Name` constraints with a local-part SHOULD NOT be used.

Constraint comparison with `Smtputf8Mailbox` `subjectAltName` starts with the setup steps defined by [Section 5](#). Setup converts the inputs of the comparison (which is one of a subject distinguished name, an `rfc822Name`, or an `Smtputf8Mailbox` `subjectAltName`, and one of an `rfc822Name` name constraint) to constraint comparison form. For an `rfc822Name` name constraint, this will convert any domain A-labels to U-labels. For both the name constraint and the subject, this will lowercase any domain NR-LDH labels. Strip the local-part and "@" separator from each `rfc822Name` and `Smtputf8Mailbox`, leaving just the domain part. After setup, this follows the comparison steps defined in [Section 4.2.1.10 of \[RFC5280\]](#) as follows. If the resulting name constraint domain starts with a "." character, then for the name constraint to match, a suffix of the resulting subject alternative name domain MUST match the name constraint (including the leading ".") octet for octet. If the resulting name constraint domain does not start with a "." character, then for the name constraint to match, the entire resulting subject alternative name domain MUST match the name constraint octet for octet.

Certificate Authorities that wish to issue CA certificates with email address name constraints MUST use `rfc822Name` subject alternative names only. These MUST be IDNA2008-conformant names with no mappings and with non-ASCII domains encoded in A-labels only.

The name constraint requirement with Smtputf8Mailbox subject alternative name is illustrated in the non-normative diagram in Figure 1. The first example (1) illustrates a permitted rfc822Name ASCII-only host name name constraint and the corresponding valid rfc822Name subjectAltName and Smtputf8Mailbox subjectAltName email addresses. The second example (2) illustrates a permitted rfc822Name host name name constraint with A-label, and the corresponding valid rfc822Name subjectAltName and Smtputf8Mailbox subjectAltName email addresses. Note that an email address with ASCII-only local-part is encoded as rfc822Name despite also having Unicode present in the domain.




Figure 1: Name Constraints with Smtputf8Name and rfc822Name

7. Security Considerations

Use of Smtputf8Mailbox for certificate subjectAltName (and issuerAltName) will incur many of the same security considerations as in [Section 8 in \[RFC5280\]](#), but it introduces a new issue by permitting non-ASCII characters in the email address local-part. This issue, as mentioned in [Section 4.4 of \[RFC5890\]](#) and in [Section 4](#)

of [RFC6532], is that use of Unicode introduces the risk of visually similar and identical characters that can be exploited to deceive the recipient. The former document references some means to mitigate against these attacks. See [WEBER] for more background on security issues with Unicode.

8. IANA Considerations

As described in Section 3 and the ASN.1 module identifier defined in Appendix A, IANA has assigned the values described here.

- o For the LAMPS-EaiAddresses-2016 ASN.1 module, IANA has registered value 92 for "id-mod-lamps-eai-addresses-2016" in the "SMI Security for PKIX Module Identifier" (1.3.6.1.5.5.7.0) registry.
- o For the Smtputf8Mailbox otherName, IANA has registered value 9 for id-on-Smtputf8Mailbox in the "SMI Security for PKIX Other Name Forms" (1.3.6.1.5.5.7.8) registry.

9. References

9.1. Normative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, DOI 10.17487/RFC2119, March 1997, <<https://www.rfc-editor.org/info/rfc2119>>.
- [RFC3629] Yergeau, F., "UTF-8, a transformation format of ISO 10646", STD 63, RFC 3629, DOI 10.17487/RFC3629, November 2003, <<https://www.rfc-editor.org/info/rfc3629>>.
- [RFC5234] Crocker, D., Ed. and P. Overell, "Augmented BNF for Syntax Specifications: ABNF", STD 68, RFC 5234, DOI 10.17487/RFC5234, January 2008, <<https://www.rfc-editor.org/info/rfc5234>>.
- [RFC5280] Cooper, D., Santesson, S., Farrell, S., Boeyen, S., Housley, R., and W. Polk, "Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile", RFC 5280, DOI 10.17487/RFC5280, May 2008, <<https://www.rfc-editor.org/info/rfc5280>>.
- [RFC5321] Klensin, J., "Simple Mail Transfer Protocol", RFC 5321, DOI 10.17487/RFC5321, October 2008, <<https://www.rfc-editor.org/info/rfc5321>>.

- [RFC5890] Klensin, J., "Internationalized Domain Names for Applications (IDNA): Definitions and Document Framework", [RFC 5890](#), DOI 10.17487/RFC5890, August 2010, <<https://www.rfc-editor.org/info/rfc5890>>.
- [RFC5891] Klensin, J., "Internationalized Domain Names in Applications (IDNA): Protocol", [RFC 5891](#), DOI 10.17487/RFC5891, August 2010, <<https://www.rfc-editor.org/info/rfc5891>>.
- [RFC6530] Klensin, J. and Y. Ko, "Overview and Framework for Internationalized Email", [RFC 6530](#), DOI 10.17487/RFC6530, February 2012, <<https://www.rfc-editor.org/info/rfc6530>>.
- [RFC6531] Yao, J. and W. Mao, "SMTP Extension for Internationalized Email", [RFC 6531](#), DOI 10.17487/RFC6531, February 2012, <<https://www.rfc-editor.org/info/rfc6531>>.
- [RFC6532] Yang, A., Steele, S., and N. Freed, "Internationalized Email Headers", [RFC 6532](#), DOI 10.17487/RFC6532, February 2012, <<https://www.rfc-editor.org/info/rfc6532>>.
- [RFC8174] Leiba, B., "Ambiguity of Uppercase vs Lowercase in [RFC 2119](#) Key Words", [BCP 14](#), [RFC 8174](#), DOI 10.17487/RFC8174, May 2017, <<https://www.rfc-editor.org/info/rfc8174>>.
- [RFC8399] Housley, R., "Internationalization Updates to [RFC 5280](#)", [RFC 8399](#), DOI 10.17487/RFC8399, May 2018, <<https://www.rfc-editor.org/info/rfc8399>>.

9.2. Informative References

- [RFC5912] Hoffman, P. and J. Schaad, "New ASN.1 Modules for the Public Key Infrastructure Using X.509 (PKIX)", [RFC 5912](#), DOI 10.17487/RFC5912, June 2010, <<https://www.rfc-editor.org/info/rfc5912>>.
- [WEBER] Weber, C., "Attacking Software Globalization", March 2010, <https://www.lookout.net/files/Chris_Weber_Character%20Transformations%20v1.7_IUC33.pdf>.

Appendix A. ASN.1 Module

The following ASN.1 module normatively specifies the SmtpUTF8Mailbox structure. This specification uses the ASN.1 definitions from [RFC5912] with the 2002 ASN.1 notation used in that document. [RFC5912] updates normative documents using older ASN.1 notation.

LAMPS-EaiAddresses-2016

```
{ iso(1) identified-organization(3) dod(6)
  internet(1) security(5) mechanisms(5) pkix(7) id-mod(0)
  id-mod-lamps-eai-addresses-2016(92) }
```

DEFINITIONS IMPLICIT TAGS ::=

BEGIN

IMPORTS

OTHER-NAME

FROM PKIX1Implicit-2009

```
{ iso(1) identified-organization(3) dod(6) internet(1) security(5)
  mechanisms(5) pkix(7) id-mod(0) id-mod-pkix1-implicit-02(59) }
```

id-pkix

FROM PKIX1Explicit-2009

```
{ iso(1) identified-organization(3) dod(6) internet(1) security(5)
  mechanisms(5) pkix(7) id-mod(0) id-mod-pkix1-explicit-02(51) } ;
```

--

-- otherName carries additional name types for subjectAltName,
-- issuerAltName, and other uses of GeneralNames.

--

```
id-on OBJECT IDENTIFIER ::= { id-pkix 8 }
```

```
SmtpUtf8OtherNames OTHER-NAME ::= { on-SmtpUTF8Mailbox, ... }
```

```
on-SmtpUTF8Mailbox OTHER-NAME ::= {
  SmtpUTF8Mailbox IDENTIFIED BY id-on-SmtpUTF8Mailbox
}
```

```
id-on-SmtpUTF8Mailbox OBJECT IDENTIFIER ::= { id-on 9 }
```

```
SmtpUTF8Mailbox ::= UTF8String (SIZE (1..MAX))
```

-- SmtpUTF8Mailbox conforms to Mailbox as specified

-- in [Section 3.3 of RFC 6531](#).

END

Appendix B. Example of Smtputf8Mailbox

This non-normative example demonstrates using Smtputf8Mailbox as an otherName in GeneralName to encode the email address "u+8001u+5E2B@example.com".

The hexadecimal DER encoding of the email address is:
A022060A 2B060105 05070012 0809A014 0C12E880 81E5B8AB 40657861
6D706C65 2E636F6D

The text decoding is:

```
0 34: [0] {
 2 10:  OBJECT IDENTIFIER '1 3 6 1 5 5 7 0 18 8 9'
14 20:  [0] {
16 18:  UTF8String '..@example.com'
      :  }
      :  }
```

Figure 2

The example was encoded on the OSS Nokalva ASN.1 Playground and the above text decoding is an output of Peter Gutmann's "dumpasn1" program.

Acknowledgements

Thank you to Magnus Nystrom for motivating this document. Thanks to Russ Housley, Nicolas Lidzborski, Laetitia Baudoin, Ryan Sleevi, Sean Leonard, Sean Turner, John Levine, and Patrik Falstrom for their feedback. Also special thanks to John Klensin for his valuable input on internationalization, Unicode, and ABNF formatting; to Jim Schaad for his help with the ASN.1 example and his helpful feedback; and especially to Viktor Dukhovni for helping us with name constraints and his many detailed document reviews.

Authors' Addresses

Alexey Melnikov (editor)
Isode Ltd
14 Castle Mews
Hampton, Middlesex TW12 2NP
United Kingdom

Email: Alexey.Melnikov@isode.com

Weihaw Chuang (editor)
Google, Inc.
1600 Amphitheater Parkway
Mountain View, CA 94043
United States of America

Email: weihaw@google.com